

U.S. DEPARTMENT OF COMMERCE
National Technical Information Service

PB-281 517

San Carlos Reservoir Gila, Graham, and Pinal Counties, Arizona

National Eutrophication Survey, Las Vegas, Nev


Prepared for

Environmental Monitoring and Support Lab, Las Vegas, Nev

Aug 77

PB 281 517

**U.S. ENVIRONMENTAL PROTECTION AGENCY
NATIONAL EUTROPHICATION SURVEY
WORKING PAPER SERIES**



**CORVALLIS ENVIRONMENTAL RESEARCH LABORATORY - CORVALLIS, OREGON
and
ENVIRONMENTAL MONITORING & SUPPORT LABORATORY - LAS VEGAS, NEVADA**

REPRODUCED BY
**NATIONAL TECHNICAL
INFORMATION SERVICE**
U. S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

REPORT
ON
SAN CARLOS RESERVOIR
GILA, GRAHAM, AND PINAL COUNTIES
ARIZONA
EPA REGION IX
WORKING PAPER No. 736

WITH THE COOPERATION OF THE
ARIZONA STATE DEPARTMENT OF HEALTH
AND THE
ARIZONA NATIONAL GUARD
AUGUST, 1977

TECHNICAL REPORT DATA
(Please read Instructions on the reverse before completing)

1. REPORT NO.		2.		3. DOCUMENT ACCESSION NO. PB281517	
4. TITLE AND SUBTITLE Report on San Carlos Reservoir, Gila, Graham, and Pinal Counties, Arizona				5. REPORT DATE Prepared August 1977	
				6. PERFORMING ORGANIZATION CODE	
7. AUTHOR(S) Anonymous (National Eutrophication Survey Staff)				8. PERFORMING ORGANIZATION REPORT NO. Working Paper # 736	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Environmental Monitoring and Support Laboratory P.O. Box 15027 Las Vegas, Nevada 89114				10. PROGRAM ELEMENT NO. 1BA029	
				11. CONTRACT/GRANT NO.	
12. SPONSORING AGENCY NAME AND ADDRESS Office of Research and Development U.S. Environmental Protection Agency 401 M. Street, S. W. Washington, DC 20460				13. TYPE OF REPORT AND PERIOD COVERED Final - 1975	
				14. SPONSORING AGENCY CODE.	
15. SUPPLEMENTARY NOTES Prepared in cooperation with the U.S. Environmental Protection Agency, Pacific Northwest Environmental Research Laboratory, Corvallis, Oregon 97330					
16. ABSTRACT Annual total phosphorus and total nitrogen loadings to the lake were estimated and subdivided according to either point or non-point source origin. An assessment of the lake's trophic condition and limiting nutrient is also provided. All data collected by the U.S.E.P.A. National Eutrophication Survey during the one year study of the lake and its tributaries are included in the report.					
17. KEY WORDS AND DOCUMENT ANALYSIS					
a. DESCRIPTORS		b. IDENTIFIERS/OPEN ENDED TERMS		c. COSATI Field/Group	
eutrophication lakes nutrients phosphorus nitrogen loading		National Eutrophication Survey Lake Survey		05B 05C	
18. DISTRIBUTION STATEMENT Release Unlimited		19. SECURITY CLASS (This Report) Unclassified		21. NO. OF PAGES 46	
		20. SECURITY CLASS (This page)		22. PRICE PC1703/MF170	

REPORT ON SAN CARLOS RESERVOIR
GILA, GRAHAM, AND PINAL COUNTIES, ARIZONA
EPA REGION IX

by

National Eutrophication Survey

Water and Land Quality Branch
Monitoring Operations Division
Environmental Monitoring & Support Laboratory
Las Vegas, Nevada

and

Special Studies Branch
Corvallis Environmental Research Laboratory
Corvallis, Oregon

Working Paper No. 736

OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY

August 1977

CONTENTS

Foreword	11
List of Arizona Study Lakes	1v
Lake and Drainage Area Map	v
Sections	
I. Conclusions	1
II. Lake and Drainage Basin Characteristics	4
III. Lake Water Quality Summary	6
IV. Nutrient Loadings	12
V. Literature Reviewed	17
VI. Appendices	18

LAKE ANALYSIS

In this report, the first stage of evaluation of lake and watershed data collected from the study lake and its drainage basin is documented. The report is formatted to provide state environmental agencies with specific information for basin planning (3302(c)), water quality criteria/standards review (3303(c)), clean lakes (3314(a,b)), and water quality monitoring (3305 and 3305(b)) activities mandated by the Federal Water Pollution Control Act Amendments of 1972.

FOREWORD

The National Eutrophication Survey was initiated in 1972 in response to an Administration commitment to investigate the nationwide threat of accelerated eutrophication to freshwater lakes and reservoirs.

OBJECTIVES

The Survey was designed to develop, in conjunction with state environmental agencies, information on nutrient sources, concentrations, and impact on selected freshwater lakes as a basis for formulating comprehensive and coordinated national, regional, and state management practices relating to point source discharge reduction and nonpoint source pollution abatement in lake watersheds.

ANALYTIC APPROACH

The mathematical and statistical procedures selected for the Survey's eutrophication analysis are based on related concepts that:

- a. A generalized representation or model relating sources, concentrations, and impacts can be constructed.
- b. By applying measurements of relevant parameters associated with lake degradation, the generalized model can be transformed into an operational representation of a lake, its drainage basin, and related nutrients.
- c. With such a transformation, an assessment of the potential for eutrophication control can be made.

LAKE ANALYSIS

In this report, the first stage of evaluation of lake and watershed data collected from the study lake and its drainage basin is documented. The report is formatted to provide state environmental agencies with specific information for basin planning [§303(e)], water quality criteria/standards review [§303(c)], clean lakes [§314(a,b)], and water quality monitoring [§106 and §305(b)] activities mandated by the Federal Water Pollution Control Act Amendments of 1972.

Beyond the single lake analysis, broader based correlations between nutrient concentrations (and loading) and trophic condition are being made to advance the rational and data base for refinement of nutrient water quality criteria for the Nation's freshwater lakes. Likewise, multivariate evaluations for the relationships between land use, nutrient export, and trophic condition, by lake class or use, are being developed to assist in the formulation of planning guidelines and policies by the U.S. Environmental Protection Agency and to augment plans implementation by the states.

ACKNOWLEDGMENTS

The staff of the National Eutrophication Survey (Office of Research and Development, U.S. Environmental Protection Agency) expresses sincere appreciation to the Arizona State Department of Health for professional involvement, to the Arizona National Guard for conducting the tributary sampling phase of the Survey, and to those Arizona wastewater treatment plant operators who provided effluent samples and flow data.

The staffs of the Bureau of Water Quality Control, Environmental Health Services, Arizona State Department of Health, and the Arizona Game and Fish Department, provided invaluable lake documentation and counsel during the Survey, reviewed the preliminary reports and provided critiques most useful in the preparation of this Working Paper Series.


Major General John G. Smith, the Adjutant General of Arizona, and Project Officer Colonel Richard A. Colson, who directed the volunteer efforts of the Arizona National Guardsmen, are also gratefully acknowledged for their assistance to the Survey.

NATIONAL EUTROPHICATION SURVEY

STUDY LAKES

STATE OF ARIZONA

<u>LAKE NAME</u>	<u>COUNTY</u>
Big Lake	Apache
Fools Hollow Lake	Navajo
Lake Havasu	Mohave (San Bernadino in CA)
Luna Lake	Apache
Lyman Lake	Apache
Lake Mohave	Mohave (Clark in NV)
Lake Pleasant	Yavapai, Maricopa
Lake Powell	Coconino (Kane, Garfield, San Juan in UT)
Rainbow Lake	Navajo
Theodore Roosevelt Lake	Gila
San Carlos Reservoir	Graham, Gila, Pinal



REPORT ON SAN CARLOS RESERVOIR, ARIZONA

STORET NO. 0411

I. CONCLUSIONS

A. Trophic Condition:*

Survey data indicate that San Carlos Reservoir is eutrophic, i.e., nutrient rich and highly productive. Whether such nutrient enrichment is to be considered beneficial or deleterious is determined by its actual or potential impact upon designated beneficial water uses of each lake.

Chlorophyll a values in the lake ranged from 7.4 $\mu\text{g/l}$ to 33.2 $\mu\text{g/l}$, with a mean of 14.8 $\mu\text{g/l}$. Secchi disc visibility was low and potentials for primary productivity as measured by algal assay control yields were moderate. Of the 11 Arizona lakes sampled in 1975, 3 had higher median total phosphorus levels (0.056 mg/l), 5 had higher median inorganic nitrogen values (0.060 mg/l) and 5 had higher median orthophosphorus values (0.009) than San Carlos Reservoir.

Survey limnologists did not report any problem algal blooms or macrophyte growths during their visits to the lake.

*See Appendix E.

B. Rate-Limiting Nutrient:

Algal assay results indicate phosphorus limitation in San Carlos Reservoir during March and November visits to the lake. The lake data suggest nitrogen limitation throughout the lake on all three sampling occasions.

C. Nutrient Controllability:

1. Point sources -

During the sampling year, point sources were calculated to contribute 0.4% of the total phosphorus load to San Carlos Reservoir. The city of San Carlos contributed 0.3% and the Soda Canyon Recreation Area contributed 0.1%.

The present phosphorus loading of $9.35 \text{ g P/m}^2/\text{yr}$ is twenty times that proposed by Vollenweider (1975) as "eutrophic" for a lake of such volume and retention time. Vollenweider's model is not applicable to San Carlos Reservoir, however, as large fluctuations in water level result from the reservoir's use for downstream agricultural activities. Drawdown occurs regularly and in low water years the lake is essentially dry (W. H. Shafer, personal communication). Additional sampling is needed to better define the nutrient budget of the lake.

2. Nonpoint sources -

Nonpoint sources, including precipitation, contributed 99.6% of the total phosphorus input during the sampling year.

The Gila River contributed 92.4%, the San Carlos River contributed 4.1% and minor tributaries and immediate drainage contributed an estimated 2.9%.

Lake morphology data were provided by the Arizona District Office of the U.S. Geological Survey (1952). Outlet drainage area includes the lake surface area. Mean hydraulic retention time was obtained by dividing the lake volume by mean flow of the outlet. Precipitation values were estimated by means of data obtained in 1952 working paper No. 175. A table of metric/English conversions is included in Appendix A.

A. Lake Morphometry

1.	Surface area: 25.87 km ²
2.	Mean depth: 12.3 meters
3.	Maximum depth: 41.8 meters
4.	Volume: 306,673 x 10 ⁶ m ³
5.	Mean hydraulic retention time: 1070 days (2.9 yr)

II. LAKE AND DRAINAGE BASIN CHARACTERISTICS

Lake and drainage basin characteristics are itemized below.

Lake morphometry data were provided by Ned Rathbun (1974). Average surface area and the 1973 average volume are indicated. Tributary flow data were provided by the Arizona District Office of the U.S. Geological Survey (USGS). Outlet drainage area includes the lake surface area. Mean hydraulic retention time was obtained by dividing the lake volume by mean flow of the outlet. Precipitation values were estimated by methods as outlined in NES Working Paper No. 175. A table of metric/English conversions is included as Appendix A.

A. Lake Morphometry:

1. Surface area: 52.61 km^2 .
2. Mean depth: 15.3 meters.
3. Maximum depth: 41.6 meters.
4. Volume: $806.679 \times 10^6 \text{ m}^3$.
5. Mean hydraulic retention time: 1076 days (2.9 yr).

B. Tributary and Outlet:
(See Appendix B for flow data)

1. Tributaries

<u>Name</u>	<u>Drainage area (km²)</u>	<u>Mean Flow (m³/sec)</u>
A-2 Gila River	29,707.3	10.09
B-1 San Carlos River	2,659.3	1.62
Minor tributaries and immediate drainage -	954.9	0.51
Totals	33,321.5	12.22
2. Outlet - A-1 Gila River	33,374.7	8.68

C. Precipitation:

1. Year of sampling: 39.9 cm.
2. Mean annual: 45.8 cm.

III. LAKE WATER QUALITY SUMMARY

San Carlos Reservoir was sampled three times during the open-water season of 1975 by means of a pontoon-equipped Huey helicopter. Each time, samples for physical and chemical parameters were collected from four stations on the lake (Station 04 was only sampled once) and from one or more depths at each station (see map, page v). During each visit, depth-integrated samples were collected from each station for chlorophyll a analysis and phytoplankton identification and enumeration. During the first and last visits, 18.9-liter depth-integrated samples were composited for algal assays. Maximum depths sampled were 21.3 meters at Station 01, 7.3 meters at Station 02, 4.9 meters at Station 03, and the surface at Station 04. For a more detailed explanation of NES methods, see NES Working Paper No. 175.

The results obtained are presented in full in Appendix C and are summarized in III-A for waters at the surface and at the maximum depth for each site. Results of the phytoplankton counts and chlorophyll a determinations are included in III-B. Results of the limiting nutrient study are presented in III-C.

AN CARLOS RESERVOIR
STORY CODE 0411

A. PHYSICAL AND CHEMICAL CHARACTERISTICS

PARAMETER	N°	(3/ 4/75)			(6/18/75)			(11/18/75)		
		RANGE	MEAN	DEPTH RANGE (METERS)	N°	RANGE	MEAN	DEPTH RANGE (METERS)	N°	RANGE
TEMPERATURE (DEG CENT)										
0.-1.5 M DEPTH	6	11.3- 13.0	11.9	0.0- 1.5	6	18.3- 24.3	24.0	0.0- 1.5	5	12.2- 14.5
MAX DEPTH	3	8.9- 12.0	8.9	4.9- 21.3	3	15.3- 24.0	20.6	1.5- 18.6	3	12.2- 14.2
DISSOLVED OXYGEN (MG/L)										
0.-1.5 M DEPTH	6	10.2- 13.2	10.8	0.0- 1.5	6	3.6- 8.6	7.0	0.0- 1.5	5	6.0- 9.6
MAX DEPTH	3	3.8- 9.6	9.2	4.9- 21.3	3	0.4- 7.4	7.0	1.5- 18.6	3	5.6- 9.6
CONDUCTIVITY (UMHOS)										
0.-1.5 M DEPTH	6	1232.-1305.	1267.	0.0- 1.5	6	1217.-1547.	1488.	0.0- 1.5	5	975.-1039.
MAX DEPTH	3	1282.-1983.	1479.	4.9- 21.3	3	1051.-1547.	1274.	1.5- 18.6	3	1039.-1040.
PH (STANDARD UNITS)										
0.-1.5 M DEPTH	6	7.9- 8.8	8.4	0.0- 1.5	7	7.9- 8.5	8.5	0.0- 1.5	5	8.3- 8.6
MAX DEPTH	3	7.8- 8.1	8.0	4.9- 21.3	4	7.8- 8.5	8.5	0.0- 18.6	3	8.3- 8.6
TOTAL ALKALINITY (MG/L)										
0.-1.5 M DEPTH	6	166.- 172.	167.	0.0- 1.5	7	152.- 161.	159.	0.0- 1.5	5	150.- 163.
MAX DEPTH	3	167.- 174.	171.	4.9- 21.3	4	152.- 166.	159.	0.0- 18.6	3	153.- 163.
TOTAL P (MG/L)										
0.-1.5 M DEPTH	6	0.021-0.030	0.025	0.0- 1.5	7	0.038-0.118	0.055	0.0- 1.5	5	0.064-0.083
MAX DEPTH	3	0.036-0.171	0.144	4.9- 21.3	4	0.056-0.118	0.084	0.0- 18.6	3	0.064-0.154
DISSOLVED ORTHO P (MG/L)										
0.-1.5 M DEPTH	6	0.004-0.017	0.006	0.0- 1.5	7	0.007-0.019	0.008	0.0- 1.5	5	0.008-0.031
MAX DEPTH	3	0.007-0.011	0.007	4.9- 21.3	4	0.007-0.044	0.012	0.0- 18.6	3	0.014-0.023
NO2-N03 (MG/L)										
0.-1.5 M DEPTH	6	0.020-0.060	0.020	0.0- 1.5	7	0.020-0.020	0.020	0.0- 1.5	5	0.020-0.060
MAX DEPTH	3	0.020-0.100	0.080	4.9- 21.3	4	0.020-0.030	0.020	0.0- 18.6	3	0.020-0.050
AMMONIA (MG/L)										
0.-1.5 M DEPTH	6	0.020-0.040	0.030	0.0- 1.5	7	0.020-0.050	0.030	0.0- 1.5	5	0.020-0.060
MAX DEPTH	3	0.030-0.120	0.030	4.9- 21.3	4	0.020-0.080	0.030	0.0- 18.6	3	0.020-0.060
KJELDAHL N (MG/L)										
0.-1.5 M DEPTH	6	0.400-1.600	0.550	0.0- 1.5	7	0.400-0.800	0.500	0.0- 1.5	5	0.300-0.400
MAX DEPTH	3	0.600-0.600	0.600	4.9- 21.3	4	0.500-0.800	0.550	0.0- 18.6	3	0.400-0.400
SECCHI DISC (METERS)	3	1.2- 1.3	1.2		2	0.3- 0.4	0.4		3	0.2- 0.3

* N = NO. OF SAMPLES

** MAXIMUM DEPTH SAMPLED AT EACH SITE

*** S = NO. OF SITES SAMPLED ON THIS DATE

B. Biological Characteristics:

1. Phytoplankton -

Sampling
Date

03/04/75

Dominant
Genera

1. Ankistrodesmus 2,045
2. Cryptomonas 1,402
3. Dactylococcopsis 584
4. Kirchneriella 467
5. Chroomonas? 380

Other genera 1,256

Total 6,134

06/18/75

1. Lyngbya 2,463
2. Carteria 1,351
3. Dactylococcopsis 530
4. Centric diatom 424
5. Ceratium 265

Other genera 1,191

Total 6,224

11/18/75

1. Chroomonas? 6,312
2. Dactylococcopsis 207
3. Euglena 89
4. Mesostigma 59
5. Chlamydomonas 59

Other genera 327

Total 7,053

Algal
Units
Per ml

2. Chlorophyll a -

<u>Sampling Date</u>	<u>Station Number</u>	<u>Chlorophyll a ($\mu\text{g/l}$)</u>
03/04/75	01	7.7
	02	9.6
	03	14.9
	04	---
06/18/75	01	7.4
	02	16.2
	03	33.2
	04	21.1
11/18/75	01	8.6
	02	14.3
	03	14.5
	04	---

C. Limiting Nutrient Study:

1. Autoclaved, filtered, and nutrient spiked -

a. 03/04/75

<u>Spike (mg/l)</u>	<u>Ortho P Conc. (mg/l)</u>	<u>Inorganic N Conc. (mg/l)</u>	<u>Maximum Yield (mg/l-dry wt.)</u>
Control	0.010	0.168	0.4
0.05 P	0.060	0.168	7.0
0.05 P + 1.0 N	0.060	1.168	15.0
1.00 N	0.010	1.168	0.4

b. 11/18/75

<u>Spike (mg/l)</u>	<u>Ortho P Conc. (mg/l)</u>	<u>Inorganic N Conc. (mg/l)</u>	<u>Maximum Yield (mg/l-dry wt.)</u>
Control	0.020	0.130	0.8
0.05 P	0.070	0.130	4.8
0.05 P + 1.0 N	0.070	1.130	3.8
1.00 N	0.020	1.130	0.8

2. Discussion -

The control yields of the assay alga, Selenastrum capricornutum*, indicate that the potential for primary production in San Carlos Reservoir was moderate at the times of sampling (03/04/75, 11/18/75). In both assays, the addition of phosphorus alone produced a significant increase in yield over that of the control, indicating phosphorus limitation. The addition of nitrogen alone did not produce any growth response over that of the control.

The mean inorganic nitrogen to orthophosphorus ratios (N/P) in the lake data were 11/1 or less on all three sampling occasions, suggesting primary limitation by nitrogen in San Carlos Reservoir.

*For further information regarding the algal assay test procedure and selection of test organisms, see U.S. EPA (1971).

IV. NUTRIENT LOADINGS (See Appendix D for data)

For the determination of nutrient loadings, the Arizona National Guard collected monthly near-surface grab samples from each of the tributary sites indicated on the map (page v), except for the high runoff month of May when three samples were collected. Sampling was begun in December 1974, and was completed in November 1975.

Through an interagency agreement, stream flow estimates for the year of sampling and a "normalized" or average year were provided by the Arizona District Office of the USGS for the tributary sites nearest the lake.

In this report, nutrient loads for sampled tributaries were determined by using a modification of a USGS computer program for calculating stream loadings. Nutrient loads indicated for tributaries are those measured minus known point source loads, if any.

Nutrient loadings for unsampled "minor tributaries and immediate drainage" ("ZZ" of USGS) were estimated by using the mean annual nutrient loads, in $\text{kg}/\text{km}^2/\text{year}$ in the Gila River at Station A-2, and multiplying the means by the ZZ area in km^2 .

The operator of the San Carlos wastewater treatment plant provided monthly effluent samples and corresponding flow data. Nutrient loads for the Soda Canyon Recreation Area wastewater treatment plant were estimated at 1.134 kg P and 3.401 kg N/capita/year.

A. Waste Sources:

1. Known municipal -

<u>Name</u>	<u>Pop.* Served</u>	<u>Treatment*</u>	<u>Mean Flow (m³/d x 10³)</u>	<u>Receiving Water</u>
Soda Canyon Recreation Area	200	Activated Sludge	0.076**	San Carlos River
San Carlos	2,700	Stabilization Pond	0.616	San Carlos River

2. Known industrial - None

*Provided by the treatment plant operator.
 **Estimated at 0.3785 m³/capita/day.

B. Annual Total Phosphorus Loading - Average Year:

1. Inputs -

<u>Source</u>	<u>kg P/yr</u>	<u>% of total</u>
a. Tributaries (nonpoint load) -		
A-2 Gila River	454,795	92.4
B-1 San Carlos River	20,375	4.1
b. Minor tributaries and immediate drainage (nonpoint load) -	14,325	2.9
c. Known municipal STP's -		
Soda Canyon Recreation Area	225	0.1
San Carlos	1,340	0.3
d. Septic tanks - None known		
e. Known industrial - None		
f. Direct precipitation* -	920	0.2
Totals	491,980	100.0

2. Outputs - A-1 Gila River 10,165

3. Net annual P accumulation - 481,815

*Estimated (See NES Working Paper No. 175).

C. Annual Total Nitrogen Loading - Average Year:

1. Inputs -

Source	kg N/yr	% of total
a. Tributaries (nonpoint load) -		
A-2 Gila River	927,960	86.2
B-1 San Carlos River	58,780	5.5
b. Minor tributaries and immediate drainage (nonpoint load) -	29,600	2.7
c. Known municipal STP's -		
Soda Canyon Recreation Area	680	<0.1
San Carlos	3,000	0.3
d. Septic tanks - None known		
e. Known industrial - None		
f. Direct precipitation* -	56,800	5.3
Totals	1,076,820	100.0
2. Outputs - A-1 Gila River	239,960	
3. Net annual N accumulation -	836,860	

*Estimated (See NES Working Paper No. 175).

D. Mean Annual Nonpoint Nutrient Export by Subdrainage Area:

<u>Tributary</u>	<u>kg P/km²/yr</u>	<u>kg N/km²/yr</u>
A-2 Gila River	15	31
B-1 San Carlos River	8	22

E. Yearly Loadings:

In the following table, the existing phosphorus annual loading is compared to the relationship proposed by Vollenweider (1975). Essentially, his "eutrophic" loading is that at which the receiving waters would become eutrophic or remain eutrophic; his "oligotrophic" loading is that which would result in the receiving water remaining oligotrophic or becoming oligotrophic if morphometry permitted. A "mesotrophic" loading would be considered one between "eutrophic" and "oligotrophic".

Note that Vollenweider's model may not apply to lakes with short hydraulic retention times or in which light penetration is severely restricted by high concentrations of suspended solids in the surface waters.

<u>Total Yearly Phosphorus Loading (g/m²/yr)</u>	
Estimated loading for San Carlos Reservoir	9.35
Vollenweider's "eutrophic" loading	0.45
Vollenweider's "oligotrophic" loading	0.22

V. LITERATURE REVIEWED

- Rathbun, Ned L. 1974. Personal Communication (lake morphometry). Arizona Game and Fish Department, Phoenix, Arizona.
- Shafer, W. H. 1977. Personal Communication (fluctuating lake levels). Arizona Department of Health Services, Phoenix, Arizona.
- U.S. Environmental Protection Agency. 1971. Algal Assay Procedure Bottle Test. National Eutrophication Research Program, Corvallis, Oregon.
- U.S. Environmental Protection Agency. 1975. National Eutrophication Survey Methods 1973-1976. Working Paper No. 175. National Environmental Research Center, Las Vegas, Nevada, and Pacific Northwest Environmental Research Laboratory, Corvallis, Oregon.
- Vollenweider, R. A. 1975. Input-Output Models With Special Reference to the Phosphorus Loading Concept in Limnology. Schweiz. Z. Hydrol. 37:53-84.

VI. APPENDICES

CONVERSION FACTORS

Hectares x 2.471 = acres
 Kilometers x 0.6214 = miles
 Meters x 3.281 = feet
 Cubic meters x 3.523 = cubic feet
 Square kilometers x 0.3861 = square miles
 Cubic meters/sec x 2.237 = cubic feet/sec
 Centimeters x 0.3937 = inches

APPENDIX A

CONVERSION FACTORS

CONVERSION FACTORS

Hectares x 2.471 = acres

Kilometers x 0.6214 = miles

Meters x 3.281 = feet

Cubic meters x 8.107×10^{-4} = acre/feet

Square kilometers x 0.3861 = square miles

Cubic meters/sec x 35.315 = cubic feet/sec

Centimeters x 0.3937 = inches

Kilograms x 2.205 = pounds

Kilograms/square kilometer x 5.711 = lbs/square mile

Reproduced from
best available copy.

20<

APPENDIX B
TRIBUTARY FLOW DATA

11/26/76

TRIBUTARY FLOW INFORMATION FOR ARIZONA

LAKE CODE 0411 SAN CARLOS

TOTAL DRAINAGE AREA OF LAKE(SQ KM) 33374.7

TRIBUTARY	SUB-DRAINAGE AREA(SQ KM)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
0411A1	33374.7	1.42	5.66	11.33	11.33	12.46	14.72	16.99	12.74	9.06	2.55	1.42	4.25	8.68
0411A2	29707.3	14.16	16.99	19.82	12.74	7.93	1.42	1.42	0.50	5.10	15.86	4.53	12.74	10.09
0411B1	2659.9	1.699	2.832	2.407	0.566	0.227	0.057	0.425	1.133	0.566	2.265	0.425	6.796	1.620
0411Z	1007.5	0.566	0.850	0.850	0.227	0.085	0.028	0.170	0.425	0.227	0.850	0.142	1.699	0.511

SUMMARY

TOTAL DRAINAGE AREA OF LAKE = 33374.7
SUM OF SUB-DRAINAGE AREAS = 33374.7

TOTAL FLOW IN = 146.71
TOTAL FLOW OUT = 103.92

MEAN MONTHLY FLOWS AND DAILY FLOWS(CMS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW
0411A1	12	74	7.985	8	6.768	8	7.079
	1	75	7.787	11	6.513		
	2	75	11.893	15	11.327		
	3	75	19.340	15	20.388		
	4	75	13.819	12	10.024		
	5	75	19.878	1	19.425	0	0.0
	6	75	20.898	14	23.078		
	7	75	16.339	10	19.737		
	8	75	19.086	7	19.624		
	9	75	14.895	16	14.866		
	10	75	7.108	18	7.985		
0411A2	11	75	0.117	10	0.091		
	12	74	1.631	8	1.331		
	1	75	1.130	11	0.991		
	2	75	5.380	15	3.256		
	3	75	13.366	15	22.710		
	4	75	12.743	12	15.291	0	0.0
	5	75	3.228	1	0.608		
	6	75	0.547	14	0.538		
	7	75	1.073	10	0.122		
	8	75	0.208	7	0.122		
	9	75	47.601	16	70.792		
0411Z	10	75	4.899	18	2.917		
	11	75	3.964	18	3.908		

11/26/76

TRIBUTARY FLOW INFORMATION FOR ARIZONA

LAKE CODE 0411 SAN CAWLOS

MEAN MONTHLY FLOWS AND DAILY FLOWS(CMS)

THIBUTARY MONTH YEAR MEAN FLOW DAY FLOW DAY FLOW

041101	12	74	0.396	8	0.396	
	1	75	0.436	11	0.396	
	2	75	1.798	15	0.708	
	3	75	1.450	15	2.747	
	4	75	3.058	12	9.118	
	5	75	0.232	1	0.340	
	5	75	0.232	7	0.311	
	5	75	0.232	30	0.156	
	6	75	0.098	14	0.093	
	7	75	0.428	10	0.130	
	8	75	0.136	7	0.122	
	9	75	0.245	16	0.161	
041122	10	75	0.161	18	0.156	
	11	75	0.229	10	0.198	
	12	74	0.170			
	1	75	0.170			
	2	75	0.566			
	3	75	0.510			
	4	75	1.133			
	5	75	0.113			
	6	75	0.057			
	7	75	0.170			
	8	75	0.057			
	9	75	0.113			
041123	10	75	0.057			
	11	75	0.085			

23<

APPENDIX C
PHYSICAL AND CHEMICAL DATA

STORM METRIEVAL DATE 76/11/26
NATL EUTROPHICATION SURVEY
EPA-LAS VEGAS

041101
33 10 33.0 110 31 38.0 3
SAN CARLOS MESERVOIR
04007 ARIZONA

110491

11EPALES 2111202
007% FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	WATER TEMP CENT	00010	00300	00077	00094	00400	00410	00610	00625	00630	00671
				DO	MG/L	TRANSP SECCHI INCHES	CONDUCTIVITY FIELD MICROHMO	PH SU	T ALK CAC03 MG/L	NH3-N TOTAL MG/L	TOT KJEL N MG/L	N-TOTAL MG/L	PHOS-VIS MG/L P
75/03/04		10 35 0000	11.4	10.2	1305	51	1305	8.40	172	0.040	1.600	0.060	0.007
		10 35 0005	11.3	10.4	1261		1261	8.40	170	0.020	0.400	0.040	0.004
		10 35 0020	9.1	7.6	1287		1287	8.10	167	0.030	0.600	0.100	0.005
		10 35 0040	8.7	7.4	1248		1248	6.00	168	0.020	0.400	0.130	0.003
		10 35 0055	8.6	5.2	1287		1287	7.90	167	0.030	0.400	0.190	0.004
75/06/18		10 35 0070	8.9	3.8	1479		1479	7.80	174	0.120	0.600	0.100	0.011
		11 25 0000	18.4	8.6	1220		1220	7.90	159	0.030	0.500	0.020K	0.007
		11 25 0005	18.3	3.6	1217		1217	7.90	160	0.030	0.400	0.020K	0.007
		11 25 0015	18.3	3.8	1216		1216	7.85	159	0.020	0.400	0.020K	0.008
		11 25 0034	17.7	2.2	1195		1195	7.80	159	0.030	0.400	0.020K	0.016
75/11/18		09 45 0000	14.4	0.4	1051	11	991	7.75	166	0.080	0.500	0.030	0.044
		09 45 0005	14.5	6.0	1020		1020	8.25	150	0.060	0.400	0.060	0.018
		09 45 0015	14.5	6.0	1041		1041	8.30	151	0.060	0.400	0.060	0.031
		09 45 0030	14.4	5.8	1071		1071	8.30	150	0.060	0.400	0.060	0.028
		09 45 0052	14.2	5.6	1080		1080	8.30	153	0.060	0.400	0.040	0.025

00031
INCUT LT
HEMNING
PERCENT

32217
CHLORPHYL
A
UG/L

00665
TIME DEPTH PHOS-TOT
MG/L P

75/03/04 10 35 0000 0.025
10 35 0005 0.024
10 35 0020 0.273
10 35 0040 0.021
10 35 0055 0.022
10 35 0070 0.171
75/06/18 11 25 0000 0.039
11 25 0005 0.038
11 25 0015 0.039
11 25 0035 0.043
11 25 0061 0.110
75/11/18 09 45 0000 0.080
09 45 0005 0.083
09 45 0015 0.077
09 45 0030 0.084
09 45 0052 0.154

24

K VALUE KNOWN TO BE LESS
THAN INDICATED

STORET RETRIEVAL DATE 76/11/26
NAIL EUTROPHICATION SURVEY
EPA-LAS VEGAS

041103
33 11 40.0 110 24 25.0 3
SAN CARLOS RESERVOIR
04007 ARIZONA

110491

11EPALES 2111202
0020 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	WATER TEMP CENT	00010	00300	00077	00094	00400	00410	00610	00625	00630	00671
				WATER	UO	TRANSP	CNDUCTVY	PH	T ALK	NH3-N	TOT N	NH4NO3	PHOS-DIS
				TEMP		SECH	FIELD	SU	CAC03	TOTAL	N	N-TOTAL	OUTHO
				CENT	MG/L	INCHES	MICROMHO		MG/L	MG/L	MG/L	MG/L	MG/L P
75/03/04	12 15	0000	13.0		12.8	48	1258	7.95	167	0.030	0.500	0.020K	0.005
	12 15	0005	12.5		13.2		1232	8.75	166	0.030	0.600	0.020K	0.006
	12 15	0010	12.0		10.8		1668	8.40	171	0.030	0.600	0.020K	0.007
	12 15	0016	12.0		9.6		1983	8.15	171	0.030	0.600	0.020K	0.007
75/06/19	13 05	0000	24.1		7.0	11	1546	8.55	161	0.050	0.500	0.020K	0.019
	13 05	0005	24.0		7.0		1547	8.55	159	0.030	0.600	0.020K	0.014
75/11/18	09 10	0000	12.2		9.6	6	1039	8.60	163	0.020	0.400	0.020K	0.023

DATE FROM TO TIME OF DAY DEPTH FEET PHOS-TOT 00665 CHLOROPHYL A 32217 INCOT LT 000J1 REMNING PERCENT

75/03/04	12 15	0000	0.021		14.9								
	12 15	0005	0.030										
	12 15	0010	0.142										
	12 15	0016	0.144										
75/06/19	13 05	0000	0.107		33.2								
	13 05	0005	0.056										
75/11/18	09 10	0000	0.064		14.5								

K VALUE KNOWN TO BE LESS THAN INDICATED

ANALYSIS TO BE DONE

DATE FROM TO TIME OF DAY DEPTH FEET PHOS-TOT 00665 CHLOROPHYL A 32217 INCOT LT 000J1 REMNING PERCENT

ANALYSIS TO BE DONE

DATE FROM TO TIME OF DAY DEPTH FEET PHOS-TOT 00665 CHLOROPHYL A 32217 INCOT LT 000J1 REMNING PERCENT

ANALYSIS TO BE DONE

TRIBUTARY AND WASTEWATER TREATMENT PLANT DATA

22 JUL 36 07 AMOON TULSA
DETACHMENT UNIT

[illegible]

STORET RETRIEVAL DATE 76/11/30
NATL EUTHOPHICATION SURVEY
EPA- LAS VEGAS

0411A1
33 10 10.0 110 31 50.0 4
GILA RIVER
04 7.5 COULIDGE DAM
0/SAN CARLOS RESERVOIR 110491
UNMPRVD RD KING .5 M DOWN TO COULIDGE DM
11EPALES 2111204
0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2LN03 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P
74/12/08	12 30		0.016	0.600	0.060	0.010	0.040
75/01/11	13 35		0.024	1.300	0.168	0.010	0.020
75/02/15	10 50		0.070		0.104	0.016	0.030
75/03/15			0.112	0.600	0.028	0.008	0.070
75/04/12	11 00		0.035	1.000	0.063	0.010	0.020
75/05/01	16 00		0.115	0.600	0.025	0.005K	0.050
75/05/07	12 15		0.115	2.100	0.060	0.015	0.030
75/05/30	11 10		0.045	0.300	0.055	0.035	0.040
75/06/14	16 30		0.005	0.400	0.135	0.055	0.070
75/07/10	07 20		0.005	0.900	0.250	0.090	0.120
75/08/07	11 30		0.005	1.050	0.470	0.090	0.130
75/09/16	09 30		0.420	0.700	0.095	0.100	0.170
75/10/18	10 30		0.090	0.600	0.070	0.035	0.100
75/11/10	11 48		0.155	3.500	0.120	0.130	0.750

K VALUE KNOWN TO BE LESS
THAN INDICATED

STORM RETRIEVAL DATE 76/11/30
NATL EUTROPHICATION SURVEY
EPA- LAS VEGAS

041142
33 10 00.0 110 04 05.0 4
GILA RIVER
04 15 BYLAS
T/SAN CARLOS MESEKVOIR 110491
HWY 70 BRUG 2 MI NW OF BYLAS
11EPALES 2111204
0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2-N MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHOP MG/L P	00665 PHOS-TOT MG/L P
74/12/08	11 50		1.600	0.300	0.020	0.065	0.080
75/01/11	11 15		1.600	1.600	0.040	0.005K	0.010
75/02/15	11 15		1.450	0.600	0.016	0.120	0.440
75/03/15	11 00		0.507	3.700	0.152	0.104	
75/04/12	10 25		0.760	2.800	0.120	0.095	0.960
75/05/01	15 45		0.810	0.900	0.020	0.070	0.500
75/05/07	12 00		1.350	1.000	0.110	0.090	0.290
75/05/30	10 55		1.500	0.250	0.030	0.010	0.010
75/06/14	14 30		0.460	0.900	0.070	0.010	0.02
75/07/10	07 10		0.390	0.750	0.050	0.015	0.020
75/08/07	11 50		0.005	0.650	0.030	0.015	0.070
75/09/16	09 45		0.290		0.025	0.135	
75/10/18	11 00		0.830	0.300	0.015	0.070	0.120
75/11/10	11 25		0.710	0.800	0.015	0.065	0.140

K VALUE KNOWN TO BE LESS
THAN INDICATED

DATE	TIME	DEPTH	00630	00625	00610	00671	00665
75/11/10	11 25		0.710	0.800	0.015	0.065	0.140

DATA FOR ANALYSIS
EPA- LAS VEGAS
STATION 110491

1000 SECS 10000 100000
11/11/10
1000 SECS 10000 100000
1000 SECS 10000 100000
1000 SECS 10000 100000
1000 SECS 10000 100000
1000 SECS 10000 100000
1000 SECS 10000 100000
1000 SECS 10000 100000

STORET RETRIEVAL DATE 7/6/11/30
NATL EUTROPHICATION SURVEY
EPA- LAS VEGAS

041181
33 19 20.0 110 26 48.0 4
SAN CARLOS RIVER
04 7.5 SAN CARLOS
T/SAN CARLOS RESERVOIR 110491
SEC RD BRUG 2.4 MI S OF SAN CARLOS
11EPALES 2111204
0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2&NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P
74/12/04	11 05		0.216	0.500	0.015	0.135	0.170
75/01/11	10 40		0.200	1.400	0.400	0.125	0.150
75/02/15	11 35		0.115	0.300	0.040	0.120	0.150
75/03/15	10 45		0.064	0.900	0.028	0.136	0.660
75/04/12	10 10		0.055	2.600	0.040	0.160	1.100
75/05/01	15 30		0.025	1.450	0.035	0.100	0.180
75/05/07	12 30		0.050	1.150	0.045	0.110	0.120
75/05/30	10 31		0.135	0.175	0.015	0.100	0.100
75/06/14	14 10		0.160	0.350	0.020	0.080	0.080
75/07/10	18 50		0.030	0.450	0.020	0.140	0.152
75/08/07	12 15		0.005	2.850	0.030	0.165	0.230
75/09/16	11 30		0.030	1.200	0.015	0.190	0.380
75/10/18	10 45		0.025	0.600	0.015	0.240	0.270
75/11/10	11 03		0.010	0.800	0.005K	0.190	0.220

K VALUE KNOWN TO BE LESS
THAN INDICATED

STOMET RETRIEVAL DATE 76/11/30
NATL EUTROPHICATION SURVEY
EPA- LAS VEGAS

04110A AS0411DA W000200
33 20 45.0 110 27 00.0 4
SODA CANYON REC AREA
04 7.5 SAN CARLOS
T/SAN CARLOS LAKE 110491
SODA CANYON
11EPALES 2141204
0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-UJIS ORTHO MG/L	00665 PHOS-TOT MG/L	50051 FLOW RATE INST MG	50053 CONDUIT FLOW-MGD MONTHLY
75/05/12 08 00			27.000	5.600	0.069	9.800	10.500		
75/12/08 00 00			19.800	2.500	0.025K	4.400	5.900		

K VALUE KNOWN TO BE LESS
THAN INDICATED

STORET RETRIEVAL DATE 76/11/30
NATL EUTROPHICATION SURVEY
EPA- LAS VEGAS

0411XA

P00411XA

P002700

33 21 00.0 110 27 00.0 4
SAN CARLOS

04 7.5 SAN CARLOS

T/SAN CARLOS LAKE 110441

SEVEN MILE WASH

11EPALES 2141204

0000 FEET DEPTH CLASS 00

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2-N03 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P	50051 FLOW RATE INST MGU	50053 CONDUIT FLOW-MGU MONTHLY
75/05/02	13 00		0.200	15.500	0.400	4.600	7.000		
75/06/05	14 00		0.050	9.600		3.700	4.600		
75/07/08	12 40		0.100	8.750	0.025	3.600	4.100		
75/08/04	11 00		0.250	9.025	0.050K	3.400	4.000		
75/09/03	13 00		0.400	8.700	0.120	4.050	4.800	0.790	0.179
75/10/02	14 20		0.800	7.100	0.025K	4.050	4.800	0.165	0.160
75/11/15	13 00		1.800	10.000	0.041	4.800	6.000	0.170	0.165
75/12/04	13 00		0.200	17.000	1.200	5.200	7.800	0.160	0.155
76/01/07	10 00		0.375	23.000	1.150	0.180	7.400	0.155	0.165
76/02/09	15 40		0.300	15.000	0.130	5.300	7.100	0.170	0.160
76/03/01	13 00		0.195	18.000	8.500	4.200	6.800	0.165	0.160
76/04/02	08 15		0.175	20.000	3.130	6.750	7.500	0.170	0.160
76/05/13	13 20			11.500			6.000	0.170	0.160

K VALUE KNOWN TO BE LESS
THAN INDICATED

APPENDIX E
PARAMETRIC RANKINGS OF LAKES
SAMPLED BY NES IN 1975
STATE OF ARIZONA

Mean or median values for six of the key parameters evaluated in establishing the trophic conditions of Arizona lakes sampled are presented to allow direct comparison of the ranking, by parameter, of each lake relative to the others. Median total phosphorus, median inorganic nitrogen and median dissolved orthophosphorus levels are expressed in mg/l. Chlorophyll *a* values are expressed in $\mu\text{g/l}$. To maintain consistent rank order with the preceding parameters, the mean Secchi disc depth, in inches, is subtracted from 500. Similarly, minimum dissolved oxygen values are subtracted from 15 to create table entries.

LAKE DATA TO BE USED IN RANKINGS (NUMBER OF LAKES WITH HIGHER VALUES)

Lake Code	Lake Name	Median Total P	Median Inorganic N	5000-Hourly Median Sec C	Median Chlorophyll A	1950-1960 Min	Median Orthophosphate P
0401	Big Lake	0.032 (5)	0.090 (4)	386.000 (9)	2.900 (8)	9.000 (8)	0.007 (8)
0402	Foxe Hollow	0.059 (2)	0.090 (4)	466.600 (2)	10.683 (2)	14.800 (1)	0.014 (2)
0403	Lake Chamassu	0.015 (10)	0.270 (3)	420.231 (7)	3.948 (6)	10.800 (7)	0.005 (10)
0404	Luna Lake	0.182 (0)	0.050 (8)	396.250 (8)	3.400 (7)	12.600 (4)	0.131 (0)
0405	Lyman Lake	0.099 (1)	0.060 (7)	484.667 (0)	2.633 (9)	9.000 (8)	0.056 (1)
0406	Lake Monahoe	0.017 (9)	0.240 (2)	369.667 (10)	4.404 (4)	8.800 (10)	0.010 (3)
0407	Lake Pleasant	0.027 (6)	0.040 (10)	449.354 (4)	9.808 (3)	14.900 (0)	0.004 (11)
0408	Lake Poyella	0.009 (11)	0.400 (1)	239.000 (11)	1.833 (10)	12.200 (14)	0.010 (3)
0409	Rainbow Lake	0.046 (4)	0.045 (9)	440.250 (5)	16.367 (0)	12.500 (6)	0.009 (5)
0410	Roosevelt Lake	0.020 (7)	0.040 (10)	429.337 (6)	4.073 (5)	14.000 (3)	0.008 (7)
0411	San Carlos Reservoir	0.056 (3)	0.060 (6)	474.500 (1)	14.750 (1)	14.800 (2)	0.009 (6)
3301	Lake Mead	0.020 (7)	0.505 (0)	453.500 (3)	11.850 (11)	8.000 (11)	0.007 (9)

0412	Foxe Hollow	0.032 (5)	0.090 (4)	386.000 (9)	2.900 (8)	9.000 (8)	0.007 (8)
0413	Foxe Hollow	0.059 (2)	0.090 (4)	466.600 (2)	10.683 (2)	14.800 (1)	0.014 (2)
0414	Lake Chamassu	0.015 (10)	0.270 (3)	420.231 (7)	3.948 (6)	10.800 (7)	0.005 (10)
0415	Luna Lake	0.182 (0)	0.050 (8)	396.250 (8)	3.400 (7)	12.600 (4)	0.131 (0)
0416	Lyman Lake	0.099 (1)	0.060 (7)	484.667 (0)	2.633 (9)	9.000 (8)	0.056 (1)
0417	Lake Monahoe	0.017 (9)	0.240 (2)	369.667 (10)	4.404 (4)	8.800 (10)	0.010 (3)
0418	Lake Pleasant	0.027 (6)	0.040 (10)	449.354 (4)	9.808 (3)	14.900 (0)	0.004 (11)
0419	Lake Poyella	0.009 (11)	0.400 (1)	239.000 (11)	1.833 (10)	12.200 (14)	0.010 (3)
0420	Rainbow Lake	0.046 (4)	0.045 (9)	440.250 (5)	16.367 (0)	12.500 (6)	0.009 (5)
0421	Roosevelt Lake	0.020 (7)	0.040 (10)	429.337 (6)	4.073 (5)	14.000 (3)	0.008 (7)
0422	San Carlos Reservoir	0.056 (3)	0.060 (6)	474.500 (1)	14.750 (1)	14.800 (2)	0.009 (6)
3301	Lake Mead	0.020 (7)	0.505 (0)	453.500 (3)	11.850 (11)	8.000 (11)	0.007 (9)

LAKE DATA TO BE USED IN RANKINGS (NUMBER OF LAKES WITH HIGHER VALUES)

LAKE DATA TO BE USED IN RANKINGS (NUMBER OF LAKES WITH HIGHER VALUES)

LAKE DATA TO BE USED IN RANKINGS (NUMBER OF LAKES WITH HIGHER VALUES)

LAKE DATA TO BE USED IN RANKINGS (NUMBER OF LAKES WITH HIGHER VALUES)

LAKE DATA TO BE USED IN RANKINGS (NUMBER OF LAKES WITH HIGHER VALUES)

LAKE DATA TO BE USED IN RANKINGS (NUMBER OF LAKES WITH HIGHER VALUES)

PERCENT OF LAKES WITH HIGHER VALUES (NUMBER OF LAKES WITH HIGHER VALUES)

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500- MEAN SEC	MEAN CHLORA	15- MIN DO	MEDIAN DISS ORTHO P
0401	BIG LAKE	45 (5)	41 (4)	82 (9)	73 (8)	77 (8)	73 (8)
0402	FOOLS HOLLOW	18 (2)	41 (4)	18 (2)	18 (2)	9 (1)	18 (2)
0403	LAKE HAVASU	91 (10)	27 (3)	64 (7)	55 (6)	64 (7)	91 (10)
0404	LUNA LAKE	0 (0)	73 (8)	73 (8)	64 (7)	41 (4)	0 (0)
0405	LYMAN LAKE	9 (1)	64 (7)	0 (0)	82 (9)	77 (8)	9 (1)
0406	LAKE MOHAVE	82 (9)	18 (2)	91 (10)	36 (4)	91 (10)	32 (3)
0407	LAKE PLEASANT	55 (6)	95 (10)	36 (4)	27 (3)	0 (0)	100 (11)
0408	LAKE POWELL	100 (11)	9 (1)	100 (11)	91 (10)	41 (4)	32 (3)
0409	RAINBOW LAKE	36 (4)	82 (9)	45 (5)	0 (0)	55 (6)	45 (5)
0410	ROOSEVELT LAKE	68 (7)	95 (10)	55 (6)	45 (5)	27 (3)	64 (7)
0411	SAN CARLOS RESERVOIR	27 (3)	55 (6)	9 (1)	9 (1)	18 (2)	55 (6)
3201	LAKE MEAD	68 (7)	0 (0)	27 (3)	100 (11)	100 (11)	82 (9)